



SOFT FLEX® WIRE

Simply the best! Soft Flex® Company revolutionized the beading industry by offering the first knot tying stainless steel wire.

Soft Flex® Wire is brought to you by state of the art, micro wire technology. Soft Flex® Wire is constructed of either 21 or 49 micro woven, stainless steel wires, braided together and then nylon coated. It is hypoallergenic, and since Soft Flex® Wire is marine quality, it can be worn in and out of salt and fresh water. Each diameter was designed to handle certain levels of abrasion, everything from soft materials like pearls and seed beads to rougher materials like glass, minerals and metal.

We are excited to share that our wire is environmentally friendly! All stainless steel used in the construction of Soft Flex® products is 100% recyclable. The steel used in Soft Flex® Wire is 60% recycled. Our nylon coating is derived from a renewable resource and can continually be recycled. Our spools show the recycled logo on the underside and can be recycled along with the clips. Just tear off the label as you would with any recyclable item in your very own kitchen and put the empty spool into your recycling bin. Made in the USA

Soft Flex® Beading Wire Trios™

Sample 3 spools for the price of one.

Diameters: .014 in (.36 mm), .019 in (.48 mm) & .024 in (.61 mm) Spool Length: 10 ft (3 m) - Total Length: 30 ft (9 m)

Color: Satin Silver Product ID #: TRIOSFW Diameters: .014 in. (.36 mm), .019 in. (.48 mm) and .024 in. (.61 mm) Lengths: 30 ft (9 m), 100 ft (30 m), and 1,000 ft (304 m)

(All colors are available in bulk)

	Diameter (in)	Test Strength	Length (ft)	Color	Product ID#
	.014	10	30	White	SFW01430WHT
	.014	10	30	Bone	SFW01430BNE
	.014	10	30	Bronze	SFW01430BRZ
	.014	10	30	Black	SFW01430BLK
	.014	10	30	Satin Silver	SFW01430SLV
	.014	10	100	White	SFW014100WHT
	.014	10	100	Bone	SFW014100BNE
	.014	10	100	Bronze	SFW014100BRZ
	.014	10	100	Black	SFW014100BLK
	.014	10	100	Satin Silver	SFW014100SLV
	.014	10	1,000	Satin Silver	SFW014BULKSLV
	.019	26	30	White Quartz	SFW01930WHT
	.019	26	30	Bone	SFW01930BNE
	.019	26	30	Bronze	SFW01930BRZ
	.019	26	30	Yellow Lemon Quartz	SFW01930YLW
	.019	26	30	Citrine	SFW01930CIT
	.019	26	30	Butterscotch Imp Topaz	SFW01930BTH
	.019	26	30	Red Jasper	SFW01930RJR
				Red Coral	
	.019	26	30	Spinel	SFW01930RED
	.019	26	30	Spinei	SFW01930SPL
	.019	26	30		SFW01930GNT
_	.019	26	30	Pink Rhodochrosite	SFW01930PNK
	.019	26	30	Pink Tourmaline	SFW01930PKT
	.019	26	30	Purple Amethyst	SFW01930PRP
	.019	26	30	Tanzanite	SFW01930TNZ
	.019	26	30	Turquoise Blue Topaz	SFW01930TRQ
	.019	26	30	Dark Blue Lapis	SFW01930DBL
	.019	26	30	Green Turquoise	SFW01930GTQ
	.019	26	30	Chrysoprase	SFW01930CHR
	.019	26	30	Fluorite	SFW01930FLU
	.019	26	30	Peridot	SFW01930PDT
	.019	26	30	Green Emerald	SFW01930GRN
	.019	26	30	Black Onyx	SFW01930BLK
_	.019	26	30	Satin Silver	SFW01930SLV
	.019	26	100	White Quartz	SFW019100WHT
	.019	26	100	Bone	SFW019100BNE
	.019	26	100	Bronze	SFW019100BRZ
	.019	26	100	Yellow Lemon Quartz	SFW019100YLW
	.019	26	100	Citrine	SFW019100CIT
	.019	26	100	Butterscotch Imp Topaz	SFW019100BTH
				Red Jasper	
	.019	26	100		SFW019100RJR
	.019	26	100	Red Coral	SFW019100RED
	.019	26	100	Spinel	SFW019100SPL
	.019	26	100	Garnet	SFW019100GNT
	.019	26	100	Pink Rhodochrosite	SFW019100PNK
	.019	26	100	Pink Tourmaline	SFW019100PKT
	.019	26	100	Purple Amethyst	SFW019100PRP
	.019	26	100	Tanzanite	SFW019100TNZ
	.019	26	100	Turquoise Blue Topaz	SFW019100TRQ
	.019	26	100	Dark Blue Lapis	SFW019100DBL
_	.019	26	100	Green Turquoise	SFW019100GTQ
	.019	26	100	Chrysoprase	SFW019100CHR
	.019	26	100	Fluorite	SFW019100FLU
	.019	26	100	Peridot	SFW019100PDT
	.019	26	100	Green Emerald	SFW019100GRN
	.019	26	100	Black Onyx	SFW019100BLK
	.019	26	100	Satin Silver	SFW019100SLV
	.019	26		Satin Silver	
			1,000		SFW019BULKSLV
	.024	40	30	Bronze	SFW02430BRZ
	.024	40	30	Black	SFW02430BLK
	.024	40	30	Satin Silver	SFW02430SLV
	.024	40	100	Bronze	SFW024100BRZ
	.024	40	100	Black	SFW024100BLK
	.024	40	100	Satin Silver	SFW024100SLV
	.024	40	1,000	Satin Silver	SFW024BULKSLV





ECONOFLEX™ WIRE

A colorful beginning at an affordable price!

A beginner or crafter's choice in bead stringing materials.

Soft Flex® Company introduces Econoflex™ Wire, a beading wire for beginners, crafters and price conscious hobbyists! This product line is 7 strands of woven stainless steel wire, coated in nylon. It is available in 7 designer colors in addition to steel grey, in diameters: very fine, fine and medium. We recommend Econoflex™ Wire for beaded lampshades, beaded curtains and craft jewelry.



Diameters: .010 in. (.25 mm), .014 in. (.36 mm), and .019 in. (.48 mm) **Lengths:** 30 ft (9 m) and 328 ft (100 m)

(All colors are available in bulk)

	Diameter (in)	Test Strength	Length (ft)	Color	Product ID #
	.010	10	30	Midnight Black	EFW01030BLK
	.010	10	30	Steel Blue	EFW01030BLU
	.010	10	30	Autumn Brown	EFW01030BRN
	.010	10	30	Spring Green	EFW01030GRN
	.010	10	30	Plum	EFW01030PLM
	.010	10	30	Cinnamon Red	EFW01030RED
	.010	10	30	Steel Grey	EFW01030STL
	.010	10	30	Snow White	EFW01030WHT
	.010	10	328	Midnight Black	EFW010328BLK
	.010	10	328	Steel Blue	EFW010328BLU
	.010	10	328	Autumn Brown	EFW010328BRN
	.010	10	328	Spring Green	EFW010328GRN
	.010	10	328	Plum	EFW010328PLM
	.010	10	328	Cinnamon Red	EFW010328RED
	.010	10	328	Steel Grey	EFW010328STL
	.010	10	328	Snow White	EFW010328WHT
	.014	15	30	Midnight Black	EFW01430BLK
	.014	15	30	Steel Blue	EFW01430BLU
	.014	15	30	Autumn Brown	EFW01430BRN
	.014	15	30	Spring Green	EFW01430GRN
	.014	15	30	Plum	EFW01430PLM
	.014	15	30	Cinnamon Red	EFW01430RED
	.014	15	30	Steel Grey	EFW01430STL
	.014	15	30	Snow White	EFW01430WHT
	.014	15	328	Midnight Black	EFW014328BLK
	.014	15	328	Steel Blue	EFW014328BLU
	.014	15	328	Autumn Brown	EFW014328BRN
	.014	15	328	Spring Green	EFW014328GRN
	.014	15	328	Plum	EFW014328PLM
	.014	15	328	Cinnamon Red	EFW014328RED
_	.014	15	328	Steel Grey	EFW014328STL
	.014	15	328	Snow White	EFW014328WHT
	.019	20	30	Midnight Black	EFW01930BLK
	.019	20	30	Steel Blue	EFW01930BLU
	.019	20	30	Autumn Brown	EFW01930BRN
	.019	20	30	Spring Green	EFW01930GRN
	.019	20	30	Plum	EFW019309LM
	.019	20	30	Cinnamon Red	EFW01930RED
_	.019	20	30		EFW01930KED
	.019	20	30	Steel Grey	EFW0193031L
				Snow White	
	.019	20	328	Midnight Black	EFW019328BLK
	.019	20	328	Steel Blue	EFW019328BLU
	.019	20	328	Autumn Brown	EFW019328BRN
	.019	20	328	Spring Green	EFW019328GRN
	.019	20	328	Plum	EFW019328PLM
	.019	20	328	Cinnamon Red	EFW019328RED
	.019	20	328	Steel Grey	EFW019328STL
	.019	20	328	Snow White	EFW019328WHT







SOFT TOUCH™ WIRE

Soft as silk with the strength of steel! Same strength and durability as Soft Flex® Wire, with more flexibility.

The beading wire that redefined elegance, Soft Touch™ Wire is the most flexible wire on the market. 50% softer than our original wire, Soft Touch™ Wire drapes and feels like thread. Soft Touch™ Wire is available in 4 diameters: very fine, fine, medium and heavy with each spool clearly marking its appropriate use right on the label. Soft Touch™ Wire is supple enough that it can be knotted easily. Your designs will have the grace of silk and the strength of steel. Made in the USA

The purpose of Soft Flex® Company's Soft Touch™ Wire is to offer exceptional flexibility.

Design using a thicker wire diameter, resulting in better longevity but not comprimising flexibility. The thicker the wire, the better resistance to abrasion it will have.

SOFT TOUCH™ VERY FINE

Try the world's first stainless steel beading thread, available in 3 colors: satin silver, black and white.

Designed for sewing, crocheting, knitting and stringing small precious stones, our very fine Soft Touch™ Wire .010 is constructed of 7 micro stainless steel wires. We do not suggest stringing heavy beads and stones, but it is wonderful for your finer gems. Very fine is as soft as a thread but with the strength of steel. For use with this product, we recommend 1x1mm Soft Flex® crimp tubes and micro crimping pliers.

Diameters: .010 in. (.25 mm), .014 in. (.36 mm), .019 in. (.48 mm)

and .024 in. (.61 mm)

Lengths: 30 ft (9 m), 100 ft (30 m), and 1,000 ft (304 m)

(All colors are available in bulk)

Diameter (in)	Test Strength	Length (ft)	Color	Product ID #
.010	5	30	Black	STW01030BLK
.010	5	100	Black	STW010100BLK
.010	5	1,000	Black	STW010BULKBLK
.010	5	30	White	STW01030WHT
.010	5	100	White	STW010100WHT
.010	5	1,000	White	STW010BULKWHT
.010	5	30	Satin Silver	STW01030SLV
.010	5	100	Satin Silver	STW010100SLV
.010	5	1,000	Satin Silver	STW010BULKSLV
.014	10	30	Satin Silver	STW01430SLV
.014	10	100	Satin Silver	STW014100SLV
.014	10	1,000	Satin Silver	STW014BULKSLV
.019	26	30	Satin Silver	STW01930SLV
.019	26	100	Satin Silver	STW019100SLV
.019	26	1,000	Satin Silver	STW019BULKSLV
.024	40	30	Satin Silver	STW02430SLV
.024	40	100	Satin Silver	STW024100SLV
.024	40	1,000	Satin Silver	STW024BULKSLV

Soft Touch™ Beading Wire Trios™

Sample 3 spools for the price of one.

Diameters: .010 in (.25 mm) – Very Fine Spool Length: 10 ft (3 m) • Total Length: 30 ft (9 m) Color: Satin Silver, Black, White

Product ID #: TRI010STW

Diameters: .010 in (.25 mm), .014 in (.36 mm), & .019 in (.48 mm) Spool Length: 10 ft (3 m) - Total Length: 30 ft (9 m)

> Color: Satin Silver Product ID #: TRIOSTW





METALLICS™ WIRE

A new way to shine! Metallics™ allow the technology of today reinvigorate the findings of yesterday.

Reignite your creative fire and turn that attic treasure into a professional piece of jewelry. Don't trust that family heirloom on anything but the best. Metallics™ Wire is constructed of either 21 or 49 micro woven stainless steel wires and is available in 3 diameters: fine, medium and heavy. Metallics™ Wire is supple enough that it can be knotted and is available in both copper and antique brass colors. Try a new project or turn an old skeleton key into a wonderful focal bead. Made in the USA ■■

The purpose of Soft Flex® Company's Metallics™ Wire is to offer alternatives using copper color or antique brass color to enhance any jewelry design.

They offer the same great strength in two very popular colors!





COPPER COLOR

Diameters: .014 in. (.36 mm), .019 in. (.48 mm) and .024 in. (.61 mm) **Lengths:** 30 ft (9 m), 100 ft (30 m), and 1,000 ft (304 m)

(All diameters are available in bulk)

Diameter (in)	Test Strength	Length (ft)	Color	Product ID #
.014	10	30	Copper	SFW01430CPR
.014	10	100	Copper	SFW014100CPR
.014	10	1,000	Copper	SFW014BULKCPR
.019	26	30	Copper	SFW01930CPR
.019	26	100	Copper	SFW019100CPR
.019	26	1,000	Copper	SFW019BULKCPR
.024	40	30	Copper	SFW02430CPR
.024	40	100	Copper	SFW024100CPR
.024	40	1,000	Copper	SFW024BULKCPR

ANTIQUE BRASS COLOR

Diameters: .014 in. (.36 mm), .019 in. (.48 mm) and .024 in. (.61 mm) Lengths: 30 ft (9 m), 100 ft (30 m), and 1,000 ft (304 m) (All diameters are available in bulk)

Diameter (in)	Test Strength	Length (ft)	Color	Product ID #
.014	10	30	Antique Brass	SFW01430ABR
.014	10	100	Antique Brass	SFW014100ABR
.014	10	1,000	Antique Brass	SFW014BULKABR
.019	26	30	Antique Brass	SFW01930ABR
.019	26	100	Antique Brass	SFW019100ABR
.019	26	1,000	Antique Brass	SFW019BULKABR
.024	40	30	Antique Brass	SFW02430ABR
.024	40	100	Antique Brass	SFW024100ABR
.024	40	1,000	Antique Brass	SFW024BULKABR



EXTREME™ 925 FLEX WIRE



An extreme way to shine! Sterling silver over stainless steel with a nylon coating.

Expose yourself and your designs to Extreme™ 925 Flex Wire. Soft Flex® Company has cutting edge technology that has allowed us to manufacture a 1x19 stranded wire line that is just as strong as our original 21 or 49. Extreme™ 925 Flex Wire is sterling silver over steel with a premium, nylon coating. This bright and attractive wire will not tarnish and is meant to be shown! The Extreme™ 925 Flex Wire will allow you to have consistency in finishing your designs as it will match all of your sterling silver findings and chain. You can also use this gorgeous wire for free- floating necklaces, pendants and for general stringing to add sparkle and shine. Made in the USA ■

The purpose of Soft Flex® Company's Extreme™ 925 Flex Wire is to provide the brightest shine of non tarnishing silver when using clear or translucent colors in crystal and gemstone beads.

Silver is the most commonly used precious metal in jewelry worldwide. This wire looks nice when attached to a sterling silver finding or clasp.



Diameters: .014 in. (.36 mm), .019 in. (.48 mm) and .024 in. (.61 mm) **Lengths:** 30 ft (9 m), 50 ft (15 m), and 500 ft (152 m)

(All diameters are available in bulk)

Diameter (in)	Test Strength	Length (ft)	Color	Product ID #
.014	10	30	Sterling Silver	SFX01430SLV
.014	10	50	Sterling Silver	SFX01450SLV
.014	10	500	Sterling Silver	SFX014SMBKSLV
.019	26	30	Sterling Silver	SFX01930SLV
.019	26	50	Sterling Silver	SFX01950SLV
.019	26	500	Sterling Silver	SFX019SMBKSLV
.024	40	30	Sterling Silver	SFX02430SLV
.024	40	50	Sterling Silver	SFX02450SLV
.024	40	500	Sterling Silver	SFX024SMBKSLV

tips & tricks





There are a few different ways of making the wire a part of an actual design.

First, if you want to keep your design simple, you can use a single strand or multiple strands of wire to showcase a focal bead or pendant. Letting the entire length of the wire lay exposed like a chain.

Second, if you are working with a single strand design, you can crimp on either side of a bead or selection of beads. Expose a piece of wire and repeat your pattern throughout the design.

Third, if you are working with multiple strands of wire, you can weave the strands in and out of the beads, exposing the wire and adding texture to your design.

An extreme way to shine!



24k Gold, 925 Sterling Silver & Champagne



EXTREME™ FLEX WIRE

An extreme way to shine! A designer's choice in bead stringing materials!

Go Green! Go Extreme! Soft Flex® Company is
the first beading wire manufacturer to go GREEN! The
new Soft Flex® Extreme™ Wire is free of heavy metals and
can be recycled. We love this planet and want to leave it
a better place for our children and future generations of
beaders. Renewable resources are the answer. Soft Flex®
Company supports reducing, reusing and recycling. Even
the spool our wire is packaged on can be recycled.

This bright and attractive wire will not tarnish and is meant to be shown! Soft Flex Extreme™ Wire comes in radiant colors to act as a highlight for your translucent gemstones and beads. You can also use this gorgeous wire for free-floating necklaces, pendants and for general stringing to add sparkle and shine. Look for our new Diamond Abrasion Resistant logo. Our Abrasion Resistant coating is one level closer to perfection. Flexibility and Strength are never sacrificed! Made in the USA

The purpose of Soft Flex® Company's Extreme™ Flex Wire is to eliminate the frustrating task of re-stringing your designs due to cutting and breakage.

We recommend you consider the abrasion level of the beads you are stringing in order to determine the appropriate diameter of Soft Flex Extreme' Wire. The thicker the wire, the better resistance to breakage it will have.



Diameters: .014 in. (.36 mm), .019 in. (.48 mm) and .024 in. (.61 mm) **Lengths:** 30 ft (9 m), 50 ft (15 m) and 500 ft (152 m) spools (All colors are available in bulk)

Diameter (in)	Test Strength	Length (ft)	Color	Product ID#
.014	10	30	24k Gold	EXT01430GLD
.014	10	30	925 Sterling Silver	EXT01430SLV
.014	10	30	Champagne	EXT01430CMP
.014	10	50	24k Gold	EXT01450GLD
.014	10	50	925 Sterling Silver	EXT01450SLV
.014	10	50	Champagne	EXT01450CMP
.014	10	500	24k Gold	EXT014SMBKGLD
.014	10	500	925 Sterling Silver	EXT014SMBKSLV
.014	10	500	Champagne	EXT014SMBKCMP
.019	15	30	24k Gold	EXT01930GLD
.019	15	30	925 Sterling Silver	EXTO1930SLV
.019	15	30	Champagne	EXT01930CMP
.019	15	50	24k Gold	EXT01950GLD
.019	15	50	925 Sterling Silver	EXT01950SLV
.019	15	50	Champagne	EXT01950CMP
.019	15	500	24k Gold	EXT019SMBKGLD
.019	15	500	925 Sterling Silver	EXT019SMBKSLV
.019	15	500	Champagne	EXT019SMBKCMP
.024	20	30	24k Gold	EXT02430GLD
.024	20	30	925 Sterling Silver	EXT02430SLV
.024	20	30	Champagne	EXT02430CMP
.024	20	50	24k Gold	EXT02450GLD
.024	20	50	925 Sterling Silver	EXT02450SLV
.024	20	50	Champagne	EXT02450CMP
.024	20	500	24k Gold	EXT024SMBKGLD
.024	20	500	925 Sterling Silver	EXT024SMBKSLV
.024	20	500	Champagne	EXT024SMBKCMP

Trios™ Extreme™ Wire Sets
Diameter: .019 in (.36 mm)

Spool Length: 10 ft (3 m) – Total Length: 30 ft (9 m)

Color	Diameter (in)	Test Strength	Length (ft)	Product ID #
24k Gold	.014	10	10	TRI014EXT
925 Sterling Silver	.014	10	10	
Champagne	.014	10	10	
24k Gold	.019	15	10	TRI019EXT
925 Sterling Silver	.019	15	10	
Champagne	.019	15	10	
24k Gold	.024	20	10	TRI024EXT
925 Sterling Silver	.024	20	10	
Champagne	.024	20	10	









QUALITY CRAFT WIRE

Soft Flex® Craft Wire is the highest quality, permanently colored copper wire available. It is resistant to scratching and marring. This is due to the enameling process used to coat the wire to produce the wide spectrum of colors we offer. After the enamel is applied, the wire is then clear coated to prevent tarnishing. Bare Copper is the only wire in the line that is not treated. If antiques and old findings are your medium, Bare Copper will patina - perfect for making that new project look like an heirloom. Quality Soft Flex® Craft Wire is available in a variety of gauges, we currently offer six of the most commonly used sizes in the jewelry industry. A quality design idea deserves a quality craft wire. Made in the USA

COLORED COPPER CRAFT WIRE

Gauges: 18 ga (1.024 mm), 20 ga (0.812 mm), 22 ga (0.644 mm), 24 ga (0.511 mm), 26 ga (0.405 mm), 28 ga (0.321 mm) (All colors are available in bulk)

Color	18 ga # / yds	20 ga #/yds	22 ga #/yds	24 ga # / yds	26 ga #/yds	28 ga # / yds
Amber	CW18G-AMB / 7 yds	CW20G-AMB / 10 yds	CW22G-AMB / 15 yds	CW24G-AMB / 20 yds	CW26G-AMB / 30 yds	CW28G-AMB / 40 yds
Bare Copper	CW18G-BC / 7 yds	CW20G-BC / 10 yds	CW22G-BC / 15 yds	CW24G-BC / 20 yds	CW26G-BC / 30 yds	CW28G-BC / 40 yds
Black	CW18G-BLK / 7 yds	CW20G-BLK / 10 yds	CW22G-BLK / 15 yds	CW24G-BLK / 20 yds	CW26G-BLK / 30 yds	CW28G-BLK / 40 yds
Blue	CW18G-BLU / 7 yds	CW20G-BLU / 10 yds	CW22G-BLU / 15 yds	CW24G-BLU / 20 yds	CW26G-BLU / 30 yds	CW28G-BLU / 40 yds
Brown	CW18G-BRN / 7 yds	CW20G-BRN / 10 yds	CW22G-BRN / 15 yds	CW24G-BRN / 20 yds	CW26G-BRN / 30 yds	CW28G-BRN / 40 yds
Burgundy		CW20G-BRG / 10 yds			CW26G-BRG / 30 yds	
Green	CW18G-GRN / 7 yds	CW20G-GRN / 10 yds	CW22G-GRN / 15 yds	CW24G-GRN / 20 yds	CW26G-GRN / 30 yds	CW28G-GRN / 40 yds
Gun Metal	CW18G-GUNM / 7 yds	CW20G-GUNM / 10 yds	CW22G-GUNM / 15 yds	CW24G-GUNM / 20 yds	45	300
Magenta	CW18G-MAG / 7 yds	CW20G-MAG / 10 yds	CW22G-MAG / 15 yds	CW24G-MAG / 20 yds	CW26G-MAG / 30 yds	CW28G-MAG / 40 yds
Non-Tarnish Copper	CW18G-NTCOP / 7 yds	CW20G-NTCOP / 10 yds	CW22G-NTCOP / 15 yds	CW24G-NTCOP / 20 yds	CW26G-NTCOP / 30 yds	CW28G-NTCOP / 40 yds
Purple	CW18G-PRP / 7 yds	CW20G-PRP / 10 yds	CW22G-PRP / 15 yds	CW24G-PRP / 20 yds	CW26G-PRP / 30 yds	CW28G-PRP / 40 yds
Red	CW18G-RED / 7 yds	CW20G-RED / 10 yds	CW22G-RED / 15 yds	CW24G-RED / 20 yds	CW26G-RED / 30 yds	CW28G-RED / 40 yds
Smokey Quartz	CW18G-SMKQTZ/7 yds	CW20G-SMKQTZ / 10 yds	CW22G-SMKQTZ / 15 yds	CW24G-SMKQTZ / 20 yds	CW26G-SMKQTZ / 30 yds	CW28G-SMKQTZ / 40 yds
Vintage Bronze	CW18G-VINBRZ / 7 yds	CW20G-VINBRZ / 10 yds	CW22G-VINBRZ / 15 yds	CW24G-VINBRZ / 20 yds	CW26G-VINBRZ / 30 yds	CW28G-VINBRZ / 40 yds

SILVER PLATED CRAFT WIRE

Gauges: 18 ga (1.024 mm), 20 ga (0.812 mm), 22 ga (0.644 mm), 24 ga (0.511 mm), 26 ga (0.405 mm), 28 ga (0.321 mm) (All colors are available in bulk)

	Color	18 ga #/ft	20 ga #/ft	22 ga #/yds	24 ga #/yds	26 ga #/yds	28 ga # / yds
	Baby Blue		CW20G-SILBBLU / 25 ft		CW24G-SILBBLU / 15 yds	CW26G-SILBBLU / 15 yds	
-	Fuchsia		CW20G-SILFUS / 25 ft		CW24G-SILFUS / 15 yds	CW26G-SILFUS / 15 yds	
	Gold	CW18G-SILGLD / 20 ft	CW20G-SILGLD / 25 ft	CW22G-SILGLD / 10 yds	CW24G-SILGLD / 15 yds	CW26G-SILGLD / 15 yds	CW28G-SILGLD / 15 yds
-	Orange		CW20G-SILORG / 25 ft		CW24G-SILORG / 15 yds	CW26G-SILORG / 15 yds	CW28G-SILORG / 15 yds
_	Pacific Blue	CW18G-SILPACB / 20 ft	CW20G-SILPACB/25ft	CW22G-SILPACB / 10 yds	CW24G-SILPACB / 15 yds	CW26G-SILPACB / 15 yds	
_	Peacock Blue		CW20G-SILPB / 25 ft			CW26G-SILPB / 15 yds	
	Peridot	CW18G-SILPER / 20 ft	CW20G-SILPER / 25 ft	CW22G-SILPER / 10 yds	CW24G-SILPER / 15 yds	CW26G-SILPER / 15 yds	CW28G-SILPER / 15 yds
	Rose Gold	CW18G-SILRGLD / 20 ft	CW20G-SILRGLD / 25 ft	CW22G-SILRGLD / 10 yds	CW24G-SILRGLD / 15 yds	CW26G-SILRGLD / 15 yds	CW28G-SILRGLD / 15 yds
	Non-Tarnish Silver	CW18G-SILNTS/20ft	CW20G-SILNTS / 25 ft	CW22G-SILNTS / 10 yds	CW24G-SILNTS / 15 yds	CW26GSILNTS / 15 yds	CW28G-SILNTS / 15 yds
	Yellow		CW20G-SILYLW / 25 ft				





TRIOS™ COLOR WIRE SETS

What is your perfect color? Apply color theory to your next design. Create jewelry with color mixing in mind.

Each set is comprised of three ten foot spools of .019 Medium diameter of Soft Flex® Beading Wire in our classic gemstone color tones. Soft Flex® Trios™ reflect our passion for gemstones and our love of color.

Made in the USA



Diameter: .019 in. (.48 mm) - Medium Spool Length: 10 ft (3 m) - Total Length: 30 ft (9 m)

Set Name	Diameter (in)	Test Strength	Length (ft)	Color	Product ID #
Be My Valentine	***	828			TRI019BMV
	.019	26	10	Rhodochrosite	
	.019	26 26	10 10	Pink Tourmaline Spinel	
Kiss Me! I'm Irish!	N12	20	10	Spiller	TOLOGOUS
das me: i ili irisii:	.019	26	10	Fluorite	TRI019KIS
	.019	26	10	Peridot	
	.019	26	10	Emerald	
Egg Hunt	A1A	1/	10	61	TRI019EGG
	.019	26	10	Chrysoprase	
	.019	26 26	10 10	Amethyst Green Turquoise	
Fireworks	.012	20	10	dreen idiquoise	TOLOGOFIO
THEWOOD	.019	26	10	Coral	TRI019FIR
	.019	26	10	Quartz	
	.019	26	10	Lapis	
Trick Or Treat	4	2.4		Q 20 0	TRI019TOT
	.019	26	10	Lemon Quartz	
	.019	26 26	10 10	Citrine	
Cornucania	7013	20	10	0nyx	T #8127-1-47-1
Cornucopia	.019	26	10	Bone	TRI019COR
	.019	26	10	Imperial Topaz	
	.019	26	10	Red Jasper	
estival Of Lights					TRI019FES
	.019	26	10	925 Sterling Silver	1111717123
i i	.019	26	10	Lapis	
P1-0-H-	.019	26	10	Quartz	
Jingle Bells	.019	26	10	Garnet	TRI019JIN
	.019	26	10	24k Gold	
	.019	26	10	Emerald	
Serenity	2000	278.70	77.0	9616	TRI019SER
	.019	26	10	Bone	INIU193ER
	.019	26	10	Green Turquoise	
	.019	26	10	Fluorite	
Tranquility	.019	26	10	Tanzanite	TRI019TRA
	.019	26	10	Lapis	
	.019	26	10	Blue Topaz	
Romance				0.00.1000	TRI019ROM
	.019	26	10	Quartz	TRIUTSKUM
_	.019	26	10	Rhodochrosite	
	.019	26	10	Garnet	
Vitality	010	36	10	Immedal Toron	TRI019VIT
	.019	26 26	10 10	Imperial Topaz Red Jasper	
	.019	26	10	Citrine	
Harmony	W12	20	10	Civility .	TDIOSOUAD
manung	.019	26	10	Bone	TRI019HAR
	.019	26	10	Lemon Quartz	
- CASCONALINES	.019	26	10	Copper	
Renewal	010	2.4		B. of the	TRI019REN
	.019	26	10	Peridot	100000000
	.019	26 26	10 10	Chrysoprase	
Mystical	.013	20	10	Chrysoprase	WALL COLUMN
mysticai	.019	26	10	Spinel	TRI019MYS
	.019	26	10	Pink Tourmaline	
70	.019	26	10	Amethyst	
Sophisticated	1 800	2/210	520	STATE OF THE STATE	TRI019SOP
	.019	26	10	Antique Brass	
1	.019	26	10	Onyx	
Elegant	.019	26	10	Coral	
FIRMORE	200	3/	10	Conner	TRI019ELE
Lieguine	019	100			
Eregun	.019	26 26	10 10	Copper Coral	





TRIOS™ MULTI-DIAMETER & MULTI-COLOR SETS

What is your perfect diameter? Try several diameters and colors to find the ideal wire for your current design.


Each set is comprised of three ten foot spools of varied colors and diameters of our Soft Flex®, Soft Touch™ and Extreme™ wire lines. Trios™ multi-diameter sets are perfect for the designer that works with a mix of stones and styles. Take the guesswork out of your next wire purchase with Trios™ multi-diameter sets. Made in the USA ■■



Diameters: .010 in (.25 mm) - Very Fine, .014 in. (.36 mm) - Fine, .019 in. (.48 mm) - Medium, and .024 in. (.61 mm) - Heavy Spool Length: 10 ft (3 m) - Total Length: 30 ft (9 m)

Set	Diameter (in)	Test Strength	Length (ft)	Color	Product ID #
Tries	.014 .019 .024	10 26 40	10 10 10	Satin Silver Satin Silver Satin Silver	TRIOSFW
Tries	.010 .010 .010	5 5 5	10 10 10	Satin Silver Black White	TRI010STW
Tries	.010 .014 .019	5 10 26	10 10 10	Satin Silver Satin Silver Satin Silver	TRIOSTW
Tries	.014 .014 .014	10 10 10	10 10 10	24k Gold 925 Sterling Silver Champagne	TRI014EXT
irios temásu	.019 .019 .019	15 15 15	10 10 10	24k Gold 925 Sterling Silver Champagne	TRI019EXT
	.024 .024 .024	20 20 20	10 10 10	24k Gold 925 Sterling Silver Champagne	TRI024EXT
Tries	.014 .019 .024	10 15 20	10 10 10	24k Gold 24k Gold 24k Gold	TRIOEXTGLD
Trios	.014 .019 .024	10 15 20	10 10 10	925 Sterling Silver 925 Sterling Silver 925 Sterling Silver	TRIOEXTSLV
Tries	.014 .019 .024	10 15 20	10 10 10	Champagne Champagne Champagne	TRIOEXTCMP





BEAD STOPPERS

Stop those beads from slipping! Bead Stoppers clip on the end of Soft Flex® and Soft Touch™ Wires.

Stress doesn't have to be a part of your next project. Eliminate the aggravation of beads slipping off your wire. Bead Stoppers are designed to keep your beads in place while you work. They are also wonderful to have handy when you need to put a design down, simply clip onto the wire and walk away. Being the innovators that we are, we helped to create Bead Stoppers with Soft Flex® Exclusive Grip Tips to make this product even easier to handle. With 9 color tips available you can add some color to your Bead Stopper. We also carry mini Bead Stoppers which are ideal for use with finer wire & threads.

Made in the USA

Bead Stoppers

Regular Size: 12 mm Width, 10 mm Height, 30 mm Length
Mini Size: 6 mm Width, 7 mm Height, 17 mm Length
(All colors and both sizes are available in bulk)

Color of Tips	Size	Product ID #
101.2	Regular	BS-4PKBRGTIP
Bright Green	Mini	BS-4PKMINIBRG
200000	Regular	BS-4PKDBLTIP
Dark Blue	Mini	BS-4PKMINIDBL
14440445	Regular	BS-4PKLBLTIP
Light Blue	Mini	BS-4PKMINILBL
Taken a	Regular	BS-4PKORGTIP
Orange	Mini	BS-4PKMINIORG
	Regular	BS-4PKPNKTIP
Pink	Mini	BS-4PKMINIPNK
	Regular	BS-4PKPRPTIP
Purple	Mini	BS-4PKMINIPRP
	Regular	BS-4PKREDTIP
Red	Mini	BS-4PKMINIRED
1200	Regular	BS-4PKTELTIP
Teal	Mini	BS-4PKMINITEL
10 M 20 M	Regular	BS-4PKYLWTIP
Yellow	Mini	BS-4PKMINIYLW
No Ties	Regular	BS-4PKNOTIP
No Tips —	Mini	BS-4PKMINI



Both regular and mini sized bead stoppers are also available in mixed color packages.

Try Bright Green with Light Blue, Pink with Red, Dark Blue with Teal, etc.

There are 8 color combinations to choose from.



Length (in)	Recommended Wire Diameter (in)	Product ID #
1.5	.010	SB-1.5010
1.5	.014	SB-1.5014
1.5	.019	SB-1.5019
1.5	.024	SB-1.5024
2.25	.010	SB-2.25010
2.25	.019	SB-2.25019
2.25	.024	SB-2.25024

SPEEDER BEADERS

Beading made faster! The Speeder Beader needle makes threading hollow beads simple and fast.

Soft Flex® Speeder Beaders make threading Soft Flex® and Soft Touch™ wires fast and simple. Since hollow beads have no channel, there is nothing to guide the wire out of the bead and the wire often curls inside. Soft Flex® Speeder Beader needles will make stringing these beads quick and painless. Just push Soft Flex® or Soft Touch™ wire into the pan at a 30-45 degree angle. The pan will guide the wire into the hollow part of the Speeder Beader needle. Beads slip over the Speeder Beaders and onto your wire quickly and easily. It can be used repeatedly! If you work with big, hollow beads, this tool is an invaluable asset. Made in the USA ■



A 60	.5mm	.7mm	.8mm	1.0mm	1.2mm	1.5mm	1.8mm
7	10 Meters	5 Meters	5 Meters	5 Meters	10 Meters	4 Meters	3 Meters
C	Retail Bliste	r Card					
	SMC05-01 Clear	SMF05-01 Clear	SME05-01 Clear	SMJ05-01 Clear	SMKIDS Multi	SMT04-01 Clear	SMK03-01 Clea
	SMC05-02 Pearl	SMF05-02 Pearl		SMJ05-02 Pearl			
	SMC05-03 Black	SMF05-03 Black		SMJ05-03 Black			
8	SMC05-36 Gold						
	SMC05-37 Silver						
lagic .	25 Meters Value Spool SMC25-01 Clear	25 Meters SMF25-01 Clear	25 Meters SME25-01 Clear	25 Meters	. NA	NA	NA NA
		300	SWEED OF SIGN	011020 01 0100			
	100 Meters	100 Meters	100 Meters	100 Meters		1	
Hreich di	Professional Spool						
	SMC100-01 Clear	SMF100-01 Clear	SME100-01 Clear	SMJ100-01 Clear	NA	NA	NA

Stretch Magic NOTES